

Database Administration

Command line tools

```

mongo | Start the shell from the command line
command line options:
--host hostname | hostname to connect to
--port 27017 | connect to port 27017 (default)
-u foo | username foo
-p bar | password bar
--authenticationDatabase arg | database to authenticate to
mongoimport | import data from a file to mongodb
mongodump | dump contents of a database to files
mongorestore | restore contents of a dump to a database
mongotop | profile the resources mongo is consuming
mongostat | profile the amount of time spent in collections
    
```

Basic shell commands

```

help | get help for the context you're in
exit | exit the shell
db | show the selected database
use foo | select and use the database foo
show dbs | show databases on server
show collections | show collections in the current db
show users | show the users in the current db
    
```

Collection commands (db.collection.)

```

help() | show a list of help commands for a collection
copyTo() | copy a collection to a new collection name
count() | get number of documents in the collection
drop() | remove the collection from the database
mapReduce() | performs map-reduce data aggregate
renameCollection() | rename a collection
stats() | get stats about the collection
    
```

Indexing

```

dropIndex() | removes a specified index on a collection
ensureIndex() | creates an index if it does not currently exist
getIndexes() | gets details on the indexes on a collection
reIndex() | rebuilds all existing indexes on a collection
compact | defragments a collection and rebuilds the indexes
    
```

Index options

Index Properties

- expireAfterSeconds | delete documents after set time
- unique | create indexes that allow only unique data
- sparse | index only documents having the index field

Index Creation Options

- background | create index in the background
- dropDups | drop duplicates on unique index creation

Cursors (db.collection.find.)

```

it | iterate on a cursor
count() | return a count of the documents in a cursor
explain() | get the query execution plan for a cursor
hasNext() | true if cursor has documents and can be iterated
hint() | force db to use a specific index for a query
limit() | constrain the size of a cursor's result set
next() | return the next document in a cursor
skip() | skip through some documents and then return results
sort() | return results ordered according to a sort specification
toArray() | return an array of all documents for the cursor
pretty() | pretty print the documents returned
    
```

System Administration

DB commands (db.)

```

help() | show a list of help commands for a db
copyDatabase() | copies a db to another db
dropDatabase() | remove the current db
getLastError() | get status of last error
hostInfo() | get info about the host system
serverStatus() | get an overview of server status
shutdownServer() | shutdown current server
stats() | get stats on the current db selected
version() | get the current version of the server
    
```

Authentication

```

db.addUser() | add a user to system.users or admin collection
db.changeUserPassword() | change an existing users password
db.removeUser() | remove a user from a database
db.auth() | authenticates a user to a database
db.logout() | logout from a database
    
```

CRUD Queries

Query commands (db.collection.)

```

find() | perform a query and return a results cursor
findAndModify() | atomically find and update
findOne() | perform a query and return a document
distinct() | query for distinct documents on a field
insert() | insert a new document into the collection
remove() | remove a document from a collection
save() | wrapper around insert and update to save
update() | update one or more documents
    
```

Query Operators (\$)

Comparison

- \$gt | matches values greater than the value
- \$gte | matches values greater than or equal the value
- \$in | matches values supplied in an array
- \$lt | matches values less than the value
- \$lte | matches values less than or equal the value
- \$ne | matches all values that are not equal to given
- \$nin | matches values that do not exist in an array

Logical

- \$or | joins query clauses with a logical OR
- \$and | joins query clauses with a logical AND
- \$not | returns documents that do not match
- \$nor | joins query clauses with a logical NOR

Element

- \$exists | matches documents that have a field
- \$type | matches a field if it is of a given type

Evaluation

- \$mod | perform a modulo on a field and select if 0
- \$regex | matches a regex expression on a field
- \$where | matches against a JavaScript expression

Geospatial

- \$geoWithin | matches within a bounding geometry
- \$geoIntersects | matches intersection in a geometry
- \$near | matches near a geospatial point
- \$nearSphere | matches near a point on a sphere

Array

- \$all | matches arrays that contain all elements given
- \$elemMatch | matches multiple conditions in array
- \$size | matches if the array is of specified size

Update Operators (\$)

Fields

- \$inc | increment a value by a specified amount
- \$rename | rename a field
- \$setOnInsert | set a value only if inserting
- \$set | set the value of a field on an existing document
- \$unset | remove the field from an existing document

Array Operators

- \$ | update the first element in an array that matches
- \$addToSet | add element to array if it doesn't exist
- \$pop | remove the first or last item of an array
- \$pullAll | remove multiple values from an array
- \$pull | remove items which match a query statement
- \$pushAll | deprecated
- \$push | adds an item to an array

Array Modifiers

- \$each | modify \$push and \$addToSet to add many
- \$slice | modify \$push to limit size of updated array
- \$sort | modify \$push to reorder documents in array

Bitwise

- \$bit | performs bitwise AND and OR updates

Isolation

- \$isolated | improve isolation of the operation

Projection Operators (\$)

```

$ | project the first element in an array that matches
$elemMatch | project only the first element match
$slice | limit number of elements projected from array
    
```

Analytic Queries

Aggregation Operators (\$)

Pipeline Operators

- \$project | reshape a document
- \$match | match documents against a query
- \$limit | restrict the number of documents returned
- \$skip | skip over some documents and return the rest
- \$unwind | open elements of an array into documents
- \$group | group on a field and aggregate values
- \$sort | sort on a specified field
- \$geoNear | get documents near a geospatial point

Aggregation Expression Operators (\$)

Group Operators

- \$addToSet | return a unique array of values for group
- \$first | return the first value in a group
- \$last | return the last value in a group
- \$max | return the highest value in a group
- \$min | return the lowest value in a group
- \$avg | return an average of all values in a group
- \$push | return an array of values for a grouped field
- \$sum | return the sum of all values in a group

Boolean Operators

- \$and | returns true when all values in array are true
- \$or | returns true when any value in its array are true
- \$not | returns boolean value that is opposite of input

Comparison Operators

- \$cmp | return the result of a compare as an integer
- \$eq | return true if two values are equal
- \$gt | return true if first value greater than 2nd
- \$gte | return true if first value greater or equal to 2nd
- \$lt | return true if first value less than 2nd
- \$lte | return true if first value less than or equal 2nd
- \$ne | return true if two values are not equal

Arithmetic Operators

- \$add | return the sum of an array of numbers
- \$divide | return the result of dividing two numbers
- \$mod | return the modulo of dividing two numbers
- \$multiply | return the product of an array of numbers
- \$subtract | return the result of subtracting 2 numbers

String Operators

- \$concat | concatenate two strings
- \$strcasecmp | return an int reflecting a comparison
- \$substr | return a portion of a string
- \$toLower | convert a string to lowercase
- \$toUpper | convert a string to uppercase

Date Operators

- \$dayOfYear | return an int between 1 and 366
- \$dayOfMonth | return an int between 1 and 31
- \$dayOfWeek | return an int between 1 and 7
- \$year | return the full year from a date
- \$month | return an int between 1 and 12
- \$week | return an int between 0 and 53
- \$hour | return an int between 0 and 23
- \$minute | return an int between 0 and 59
- \$second | return an int between 0 and 60
- \$millisecond | return millisecond portion of a date

Conditional Expressions

- \$cond | ternary style operator, takes 3 expressions
- \$ifNull | eval 1st expression, if null eval 2nd, return

Misc links

- Release Notes
- Backup and Recovery
- Manage Journaling
- MongoDB Scripting
- Analyze Performance and Profiling
- Security
- Community

Sharding (sh.)

- addShard() | add a shard to the cluster
- addShardTag() | associate a shard with a tag
- addTagRange() | associate range of shard keys with tag
- disableBalancing() | disable balancing on a collection
- enableBalancing() | re-enable balancing on a collection
- enableSharding() | enables sharding on a database
- getBalancerHost() | get the mongos doing balancing
- getBalancerState() | true if the balancer is enabled
- help() | returns help text for the sh methods
- isBalancerRunning | true if the balancer is migrating
- moveChunk() | migrates a chunk in a sharded cluster
- removeShardTag() | disassociate a shard with a tag
- setBalancerState() | enable or disable the balancer
- shardCollection() | enables sharding for a collection
- splitAt() | divide a chunk in 2 based on shard key value
- splitFind() | divide a chunk in half based on a query
- startBalancer() | enable balancer and wait until started
- status() | reports on the status of a sharded cluster
- stopBalancer() | stop balancer and wait until stopped